


EDITION / VERSİYON
09/2011

WINDOW AND DOOR
PENCERE VE KAPI


SYSTEM 59T
SİSTEM 59T



 **Lorenzoline**[®]
aluminium profile system






ALUMINIUM


b - PROFILES



CODE
59T-101-00





THEORETICAL WEIGHT kg/m
1.311


- | | EXTRUDED CORNER JOINT | DIE - CAST CORNER JOINT |
|---|---|---|
| A | CC-122-25.5  | LC-1826  |
| | | LC-1828  |
| B | CC-122-04.5  | |
| C | FUJI 2013  | |



CODE
59T-102-00






THEORETICAL WEIGHT kg/m
1.627


- | | EXTRUDED CORNER JOINT | DIE - CAST CORNER JOINT |
|---|---|---|
| A | CC-125-25.5  | LC-3626  |
| B | CC-125-04.5  | |
| C | FUJI 2013  | |



CODE
59T-103-00





THEORETICAL WEIGHT kg/m
1.315


- | | EXTRUDED CORNER JOINT | DIE - CAST CORNER JOINT |
|---|---|---|
| A | CC-122-25.5  | LC-1826  |
| | | LC-1828  |
| B | CC-122-04.5  | |
| C | FUJI 2013  | |



CODE
59T-104-00

THEORETICAL WEIGHT kg/m
1.631

- | | EXTRUDED CORNER JOINT | DIE - CAST CORNER JOINT |
|---|---|---|
| A | CC-125-25.5  | LC-3626  |
| B | CC-125-04.5  | |
| C | FUJI 2013  | |



CODE
59T-111-00

THEORETICAL WEIGHT kg/m
1.550

EXTRUDED CORNER JOINT

DIE - CAST CORNER JOINT

A **CC-122-25.5**


LC-1826

B **CC-122-04.5**

LC-1828

C **FUJI 2013**

D **MO 20.1**



CODE
59T-113-00

THEORETICAL WEIGHT kg/m
1.554

EXTRUDED CORNER JOINT

DIE - CAST CORNER JOINT

A **CC-122-25.5**


LC-1826

B **CC-122-04.5**

LC-1828

C **FUJI 2013**

D **MO 20.1**



CODE
59T-201-00

THEORETICAL WEIGHT kg/m
1.484

EXTRUDED CORNER JOINT

DIE - CAST CORNER JOINT


A **CC-122-25.5**

LC-1826

B **CC-122-04.5**

LC-1828

C **FUJI 2013**



CODE
59T-202-00

THEORETICAL WEIGHT kg/m
1.901

EXTRUDED CORNER JOINT


DIE - CAST CORNER JOINT

A **CC-105-26.5**

LC-4327

B **CC-105-04.5**

C **FUJI 2013**



CODE
59T-203-00

THEORETICAL WEIGHT kg/m
1.982

EXTRUDED CORNER JOINT


DIE - CAST CORNER JOINT

A **CC-105-26.5**

LC-4327

B **CC-105-04.5**

C **FUJI 2013**



CODE
59T-207-00

THEORETICAL WEIGHT kg/m
1.294

EXTRUDED CORNER JOINT


DIE - CAST CORNER JOINT

A **CC-122-25.5**

LC-1826




B **CC-122-04.5**



LC-1828




CODE
59T-208-00

THEORETICAL WEIGHT kg/m
1.690

- EXTRUDED CORNER JOINT
- A **CC-122-25.5** 
- B **CC-122-04.5** 
- C **FUJI 2013** 

- DIE - CAST CORNER JOINT
- LC-1826** 
- LC-1828** 



CODE
59T-301-00

THEORETICAL WEIGHT kg/m
1.488

EXTRUDED CORNER JOINT
A **CC-122-25.5**



DIE - CAST CORNER JOINT
LC-1827




LC-1826
LC-1828



B **CC-122-04.5**




C **FUJI 2013**




CODE
59T-302-00

THEORETICAL WEIGHT kg/m
2.106




| CODE | THEORETICAL WEIGHT kg/m |
|------------|-------------------------|
| 59T-303-00 | 3.120 |




CODE
59T-401-00

THEORETICAL
WEIGHT kg/m
3.183




CODE
59T-403-00

THEORETICAL
WEIGHT kg/m
1.112



CODE
59T-404-00

THEORETICAL
WEIGHT kg/m
0.796




CODE

59T-402-00

THEORETICAL WEIGHT kg/m


1.984



59T-405-00

THEORETICAL WEIGHT kg/m


0.331



59T-406-00

THEORETICAL WEIGHT kg/m


0.382



59T-407-00

THEORETICAL WEIGHT kg/m


0.446



59T-408-00

THEORETICAL WEIGHT kg/m


0.225



59T-409-00

THEORETICAL WEIGHT kg/m


0.312



CODE
59T-501-00

THEORETICAL WEIGHT kg/m
1.423

ADAPTOR CAP
EM59T - 501



CODE
59T-502-00

THEORETICAL WEIGHT kg/m
1.458

EXTRUDED CORNER JOINT
A **CC-123-04.5**




B **CC-123-04.5**








C **FUJI 2013**






CODE
59T-503-00


THEORETICAL WEIGHT kg/m
1.518

- | | EXTRUDED CORNER JOINT | DIE - CAST CORNER JOINT |
|---|---|---|
| A | CC-122-25.5  | LC-1826  |
| B | CC-122-04.5  | LC-1828  |
| C | FUJI 2013  | |




CODE
59T-504-00

THEORETICAL WEIGHT kg/m
1.223





07-103-00

THEORETICAL WEIGHT kg/m
0.490

CORNER JOINT
 A **MO 20.1** 

profiles





CODE

08-104-00

THEORETICAL
WEIGHT kg/m

0.256





CODE

08-107-00

THEORETICAL
WEIGHT kg/m

0.262





CODE

08-108-00

THEORETICAL
WEIGHT kg/m

0.269





CODE

08-109-00

THEORETICAL
WEIGHT kg/m

0.280





CODE

08-110-00

THEORETICAL
WEIGHT kg/m

0.266



profiles



CODE
08-111-00



THEORETICAL WEIGHT kg/m
0.217

THEORETICAL WEIGHT kg/m
0.217





CODE
08-112-00

THEORETICAL WEIGHT kg/m
0.290



CODE
08-115-00

THEORETICAL WEIGHT kg/m
0.317




CODE
08-116-00

THEORETICAL WEIGHT kg/m
0.331




CODE
09-121-00

THEORETICAL
WEIGHT kg/m
2.404



CODE
09-122-00


THEORETICAL
WEIGHT kg/m
3.306



CODE
09-123-00


THEORETICAL
WEIGHT kg/m
4.385

profiles




CODE
09-124-00

THEORETICAL
WEIGHT kg/m
4.588



CODE
09-125-00

THEORETICAL
WEIGHT kg/m
4.756




CODE
09-105-00

THEORETICAL
WEIGHT kg/m
5.473

PERIMETRIC

b - PROFILES



CODE
59T-151-00

THEORETICAL WEIGHT kg/m
1.625

EXTRUDED CORNER JOINT

DIE - CAST CORNER JOINT


A **CC-154-25.5**

LC-1826

B **CC-124-04.5**

LC-1828

C **FUJI 2013**



CODE
59T-152-00

THEORETICAL WEIGHT kg/m
1.629

EXTRUDED CORNER JOINT

DIE - CAST CORNER JOINT


A **CC-154-25.5**

LC-1826

B **CC-124-04.5**




LC-1828


C **FUJI 2013**



CODE
59T-251-00





THEORETICAL WEIGHT kg/m
1.533


- EXTRUDED CORNER JOINT
- A **CC-121-25.5** 
 - B **CC-122-04.5** 
 - C **FUJI 2013** 



CODE
59T-253-00

THEORETICAL WEIGHT kg/m
1.961

- EXTRUDED CORNER JOINT
- A **CC-125-25.5** 
 - B **CC-105-04.5** 
 - C **FUJI 2013** 
- DIE - CAST CORNER JOINT
- LC-3626** 



CODE
59T-254-00

THEORETICAL WEIGHT kg/m
2.031

EXTRUDED CORNER JOINT

DIE - CAST CORNER JOINT

A **CC-105-26.5**




LC-4327



B **CC-105-04.5**




C **FUJI 2013**



CODE
59T-351-00


THEORETICAL WEIGHT kg/m
1.780



CODE
59T-551-00

THEORETICAL
WEIGHT kg/m
1.423

ADAPTOR CAP
EM59T - 551



CODE
09-154-00

THEORETICAL
WEIGHT kg/m
3.498

When you use PVC accessories with these Frames

59-151-00 / 59-152-00 / 59T-301-00





Use this corner joint




This corner joint for only Aubi A300 & GU Uni jet D





No visible surface



ALUMINIUM



b - DETAILS


















































Scale : 1/2












HINGE 03

















Scale : 1/2



















































TILT & SLIDE





TILT & SLIDE



TILT & SLIDE










TILT & SLIDE









PERIMETRIC



b - DETAILS



































HINGE 03
















Scale : 1/22

















d - GLAZING TABLE


profiles




08-115-00



08-116-00




08-116-00




08-116-00


| GLAZING THICKNESS | GLAZING GASKET INSIDE | GLAZING GASKET OUTSIDE | GLAZING BEAD |
|-------------------|-----------------------|------------------------|--------------|
| 4 mm | EMI-04 | EM2-02 | 08-116-00 |
| 5 mm | EMI-03 | EM2-02 | |
| 6 mm | EMI-02 | EM2-02 | |
| 8 mm | EMI-04 | EM2-02 | 08-115-00 |
| 10 mm | EMI-02 | EM2-02 | 08-112-00 |
| 17 mm | EMI-03 | EM2-02 | 08-111-00 |
| 20 mm | EMI-03 | EM2-02 | 08-111-00 |




08-111-00




08-112-00




08-115-00




08-108-00



08-108-00




08-109-00




08-110-00


| GLAZING THICKNESS | GLAZING GASKET INSIDE | GLAZING GASKET OUTSIDE | GLAZING BEAD |
|-------------------|-----------------------|------------------------|--------------|
| 20 mm | EM1-03 | EM2-02 | 08-110-00 |
| | EM1-03 | EM2-02 | 08-109-00 |
| 22 mm | EM1-04 | EM2-02 | 08-108-00 |
| 24 mm | EM1-02 | EM2-02 | |
| 24 mm | EM1-04 | EM2-02 | 08-107-00 |
| 26 mm | EM1-02 | EM2-02 | |
| 28 mm | EM1-04 | EM2-02 | 08-104-00 |



08-104-00



























08-107-00































08-107-00





e - ACCESSORIES

| CODE | DRAWING | APPLICATION | DESCRIPTION | THEORETICAL WEIGHT kg/m | IN ONE PACKAGE |
|---------|---|---|---------------------------------|-------------------------|----------------|
| EM1-02 |  |  | Glazing Gasket Inside (EPDM) | 0.050 | 300 m |
| EM1-03 |  |  | Glazing Gasket Inside (EPDM) | 0.060 | 250 m |
| EM1-04 |  |  | Glazing Gasket Inside (EPDM) | 0.070 | 215 m |
| EM2-02 |  |  | Glazing Gasket Outside (EPDM) | 0.055 | 270 m |
| EM3-01 |  |  | Acoustical Gasket (EPDM) | 0.032 | 465 m |
| EM59-01 |  |  | Central Gasket (EPDM) | 0.214 | 70 m |
| EM59-02 |  |  | Central Gasket (EPDM) | 0.080 | 185 m |

| CODE | DRAWING | APLICACION PROFILES | APLICACION DETAIL |
|-------------------------|---|---------------------------------|---|
| EM59T-501 ALUminium |  | 59T-501-00 |  |
| EM59T-551 PERImetric |  | 59T-551-00 |  |
| EM08-111 |  | 08-111-00 |  |
| EM15-200 |  | Rod Profile (Euro Section I) |  |
| EM10-01 (White) |  | Drainage Cap |  |
| EM10-02 (Black) | | | |
| EM10-03 (Brown) | | | |

| CODE | DRAWING | APPLICATION PROFILES | APPLICATION DETAIL |
|-----------|---|----------------------|---|
| LC-1826 |  | 59T-101-00 |  |
| | | 59T-103-00 | |
| | | 59T-111-00 | |
| | | 59T-113-00 | |
| | | 59T-151-00 | |
| | | 59T-152-00 | |
| LC-1828 |  | 59T-201-00 |  |
| | | 59T-207-00 | |
| | | 59T-208-00 | |
| | | 59T-301-00 | |
| | | 59T-503-00 | |
| | | | |
| LC-3626 |  | 59T-102-00 |  |
| | | 59T-104-00 | |
| | | 59T-253-00 | |
| LC-4327 |  | 59T-202-00 |  |
| | | 59T-203-00 | |
| | | 59T-254-00 | |
| LC-1827 |  | |  |
| | | 59T-301-00 | |
| FUJI 2013 |  | 59T-101-00 |  |
| | | 59T-102-00 | |
| | | 59T-103-00 | |
| | | 59T-104-00 | |
| | | 59T-111-00 | |
| | | 59T-113-00 | |
| | | 59T-201-00 | |
| | | 59T-202-00 | |
| | | 59T-203-00 | |
| | | 59T-208-00 | |
| | | 59T-301-00 | |
| | | 59T-502-00 | |
| | | 59T-503-00 | |
| | | 59T-151-00 | |
| | | 59T-152-00 | |
| MO 20.1 |  | 59T-111-00 |  |
| | | 59T-113-00 | |
| | | | |
| | | | |

| PROFILE CODE | DRAWING | PACKAGE CODE | QUANTITY | CUTTING SIZE | APPLICATION PROFILES | APPLICATION DETAIL |
|--------------|---|--------------|-----------|--------------|--|---|
| 09-121-00 |  | CC-121-25.5 | 80 pieces | 25.5 mm | 59T-251-00 |  |
| 09-122-00 |  | CC-122-04.5 | 77 pieces | 04.5 mm | 59T-101-00 59T-103-00 59T-111-00 59T-113-00 59T-201-00 59T-251-00 59T-207-00 59T-208-00 59T-301-00 59T-503-00 |  |
| 09-122-00 |  | CC-122-25.5 | 35 pieces | 25.5 mm | 59T-101-00 59T-103-00 59T-111-00 59T-113-00 59T-201-00 59T-207-00 59T-208-00 59T-301-00 59T-503-00 |  |
| 09-123-00 |  | CC-123-04.5 | 55 pieces | 04.5 mm | 59T-502-00 |  |
| 09-124-00 |  | CC-124-04.5 | 44 pieces | 04.5 mm | 59T-151-00 59T-152-00 |  |
| 09-125-00 |  | CC-125-04.5 | 44 pieces | 04.5 mm | 59T-102-00 59T-104-00 |  |
| 09-125-00 |  | CC-125-25.5 | 20 pieces | 25.5 mm | 59T-102-00 59T-104-00 59T-253-00 |  |

| PROFILE CODE | DRAWING | PACKAGE CODE | QUANTITY | CUTTING SIZE | APPLICATION PROFILES | APPLICATION DETAIL |
|--------------|---|--------------|-----------|--------------|----------------------|---|
| 09-105-00 |  | CC-105-04.5 | 33 pieces | 04.5 mm | 59T-202-00 |  |
| | | | | | 59T-203-00 | |
| | | | | | 59T-253-00 | |
| | | | | | 59T-254-00 | |
| 09-105-00 |  | CC-105-26.5 | 15 pieces | 26.5 mm | 59T-202-00 |  |
| | | | | | 59T-203-00 | |
| | | | | | 59T-253-00 | |
| | | | | | | |



SPECIAL EXTRUDED CORNER JOINT FOR PERIMETRIC

When you use PVC accessories with these Frames

59T-151-00 , 59T-152-00 , 59T-301-00

Use this corner joint

This corner joint for only Aubi A300 & GU Uni jet D

| PROFILE CODE | DRAWING | PACKAGE CODE | QUANTITY | CUTTING SIZE | APPLICATION PROFILES | APPLICATION DETAIL |
|--------------|---|--------------|-----------|--------------|----------------------|---|
| 09-154-00 |  | CC-105-25.5 | 35 pieces | 25.5 mm | |  |
| | | | | | 59T-151-00 | |
| | | | | | 59T-152-00 | |
| | | | | | 59T-301-00 | |